

IncredMed Inc.

277 Arapahoe Rd
Lafayette, CO 80026
paowine@yahoo.com
(828) 329-8737


Sample: 2402G2A0003.0009

Strain: CBN
Batch#: ; Batch Size: g
Sample Received: 02/05/2024; Report Created: 02/17/2024
Expiration: 11/16/2025

CBN 10 mg Tablets

Ingestible, Hard Lozenge



	ND	ND	1.02%
	Total THC	Total CBD	
	Pass	Pass	Total Cannabinoids
	Mycotoxins	Water Activity	

Cannabinoids

Complete

Analyte	LOQ	Mass	Mass
	%	%	mg/unit
THCa	0.01	ND	ND
Δ9-THC	0.01	ND	ND
Δ8-THC	0.01	ND	ND
THCV	0.01	NR	NR
CBDa	0.01	ND	ND
CBD	0.01	ND	ND
CBDV	0.01	ND	ND
CBN	0.01	1.02	10.2
CBGa	0.01	ND	ND
CBG	0.01	ND	ND
CBC	0.01	ND	ND
Total		1.02	10.2

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Certificate of Analysis

Powered by Confident LIMS
2 of 5

IncredMed Inc.

277 Arapahoe Rd
Lafayette, CO 80026
paowine@yahoo.com
(828) 329-8737

Sample: 2402G2A0003.0009

Strain: CBN
Batch#: ; Batch Size: g
Sample Received: 02/05/2024; Report Created: 02/17/2024
Expiration: 11/16/2025

CBN 10 mg Tablets

Ingestible, Hard Lozenge



Microbials

Pass

Analyte	Limit	Units	Status
Aerobic Bacteria	1000	CFU/g	Pass
E. Coli		Not Detected	Pass
Salmonella		Not Detected	Pass
Yeast & Mold	100	ND	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Griffin & Griffin Analytical Associates
1038 Culp Road
Charlotte, NC
(803) 322-2271
<http://www.g2analytical.com>

Veronica Griffin
Lab Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Griffin & Griffin Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Griffin & Griffin Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Griffin & Griffin Analytical.



Certificate of Analysis

Powered by Confident LIMS
3 of 5

IncredMed Inc.

277 Arapahoe Rd
Lafayette, CO 80026
paowine@yahoo.com
(828) 329-8737

Sample: 2402G2A0003.0009

Strain: CBN
Batch#: ; Batch Size: g
Sample Received: 02/05/2024; Report Created: 02/17/2024
Expiration: 11/16/2025

CBN 10 mg Tablets

Ingestible, Hard Lozenge



Mycotoxins

Pass

Analyte	LOQ	Limit	Units	Status
Ochratoxin A	1.00	20.00	ND	Pass
Total Aflatoxins	1.00	20.00	ND	Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Griffin & Griffin Analytical Associates
1038 Culp Road
Charlotte, NC
(803) 322-2271
<http://www.g2analytical.com>

Veronica Griffin
Lab Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Griffin & Griffin Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Griffin & Griffin Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Griffin & Griffin Analytical.



Certificate of Analysis

Powered by Confident LIMS
4 of 5

IncredMed Inc.

277 Arapahoe Rd
Lafayette, CO 80026
paowine@yahoo.com
(828) 329-8737

Sample: 2402G2A0003.0009

Strain: CBN
Batch#: ; Batch Size: g
Sample Received: 02/05/2024; Report Created: 02/17/2024
Expiration: 11/16/2025

CBN 10 mg Tablets

Ingestible, Hard Lozenge



Heavy Metals

Pass

Analyte	Mass	LOQ	Limit	Status
	PPM	PPM	PPM	
Arsenic	<LOQ	0	2	Pass
Cadmium	<LOQ	0	1	Pass
Lead	<LOQ	0	1	Pass
Mercury	<LOQ	0	3	Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Griffin & Griffin Analytical Associates
1038 Culp Road
Charlotte, NC
(803) 322-2271
<http://www.g2analytical.com>

Veronica Griffin
Lab Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Griffin & Griffin Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Griffin & Griffin Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Griffin & Griffin Analytical.



ANALYTICAL

Certificate of Analysis

Powered by Confident LIMS
5 of 5

IncredMed Inc.

277 Arapahoe Rd
Lafayette, CO 80026
paowine@yahoo.com
(828) 329-8737

Sample: 2402G2A0003.0009

Strain: CBN
Batch#: ; Batch Size: g
Sample Received: 02/05/2024; Report Created: 02/17/2024
Expiration: 11/16/2025

CBN 10 mg Tablets

Ingestible, Hard Lozenge



Residual Solvents

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Griffin & Griffin Analytical Associates
1038 Culp Road
Charlotte, NC
(803) 322-2271
<http://www.g2analytical.com>

Veronica Griffin
Lab Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Griffin & Griffin Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Griffin & Griffin Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Griffin & Griffin Analytical.